

EZYCOAT

RENDER • TEXTURE • PAINT


ONE SUPPLIER
MANY SOLUTIONS

RENDER
TEXTURE
PAINT



EXSULITE® EPS
CLADDING


CREATIVE
MOULDINGS



System solutions for all your project needs.

EZYCOAT has over 30 years' experience supplying system solutions for residential and commercial applications. We offer a full system solution within the one location providing customers with a one stop shop experience.

AAC COATING SYSTEMS



- 1 AAC PANEL
- 2 ECA RENDER
- 3 EZY MESH
- 4 ECA RENDER
- 5 SAND 800
- 6 MEMBRANE

EZYCOAT offers coating systems for Autoclaved Aerated Concrete (AAC) cladding. AAC is an increasingly popular alternative to traditional brick and mortar veneer substrates.

PROJECT TAKE OFF SERVICE

Let us help you by providing a take-off service for all projects, from low-rise to commercial. Simply send us your plans and specifications and we will provide a quote based on the required materials to complete the project.

NCC COMPLIANT SYSTEMS

All our EZYCOAT products are compliant with National Construction Code requirements. We have CodeMark® certifications for our Exsulite® Lightweight Thermal Cladding System and AAC Panel Systems.



RENDER, TEXTURE, PAINT & PATCH

EZYCOAT offers a comprehensive range of quality products;


- Bagged Render
- Texture Finishes
- Patches
- Sealers and Topcoats

that provide a full system solution for any technical requirements at a competitive price across the entire range.



EXSULITE LIGHTWEIGHT THERMAL CLADDING SYSTEM

- 1 EXSULITE EPS
- 2 ECA RENDER
- 3 EZY MESH
- 4 ECA RENDER
- 5 SAND 800
- 6 MEMBRANE



EZYCOAT offers a *CodeMark* Compliant EPS system utilising *Exsulite* Lightweight Thermal Cladding with EZYCOAT Coating Systems (subject to system specifications).

The *Exsulite* Lightweight Thermal Cladding system offers a fully integrated cladding solution, suitable for 1-2 storey residential construction projects. *Exsulite* provides a fast install time and a high thermal insulation rating (subject to system specifications).






CREATIVE MOULDINGS

EZYCOAT can provide your next project with a revolutionary architectural moulding system. Creative Mouldings are manufactured from quality EPS blocks covered with a durable rendered style finish which can be painted over.






Available in a range of standard mouldings or we can custom make to suit your requirements.

- Sunhood & Blades
- Window Architraves
- Keystones
- Vents
- Waist Bands
- Quoins
- Parapet Soffit
- Columns





BAGGED RENDERS

PRODUCT	APPLICATION TOOLS	SUBSTRATE TYPE	FEATURE/BENEFIT	SAND GRADE	COVERAGE	RECOMMENDED COATING THICKNESS
 SKIM RENDER Off White	Hawk & Steel Trowel Render Pump Sponge Float	Clay brick, concrete block, masonry surfaces	Provides an even and consistent sand finish for use as a skim coat.	Medium Fine	3 - 4.8 m ² /bag	2.5mm MIN - 5mm MAX per coat to a MAX thickness of 8mm
 ECA RENDER Off White	Hawk & Steel Trowel Render Pump Sponge Float	Clay brick, concrete block, EPS	Designed for multi-purpose use including EPS systems, with the addition of polymer for superior bonding strength.	Medium Fine		
 PUMP RENDER Off White	Hawk & Steel Trowel Render Pump Sponge Float	Clay brick, concrete block, masonry surfaces	Developed to cater for both hand and pump application.	Medium Coarse		
 EZYFLOAT RENDER Off White	Hawk & Steel Trowel Sponge Float	Clay brick, concrete block, masonry surfaces	Ideal for use under acrylic texture coatings.	Coarse		
 EZYPREP & PATCH Off White	Steel Trowel	Fibre cement sheeting & sheet joints or non-traditional surfaces	To prep and patch surfaces that would otherwise not accept a render product.	Fine	4 - 6 m ² /bag	1.5mm MIN 3mm MAX


TEXTURE FINISHES

PRODUCT	APPLICATION TOOLS	SUBSTRATE TYPE	FEATURE/BENEFIT	SAND GRADE	COVERAGE
 SAND 800	Steel Trowel Plastic Float	Fibre cement sheeting, pre rendered surfaces, AFS Logicwall®, Ritek®, EPS, Tilt-Up Concrete	A preblended acrylic texture that produces a granular sand finish.	Medium	11 - 12 m ² /pail
 MIAMI			A mineral feature texture with the added protection of REPEL hydrophobic technology.	Medium	11 - 12 m ² /pail
 POLYMER RENDER			A medium-fine acrylic scrub fine sand finish.	Fine	7 - 10 m ² /pail
 SCRATCH 2MM			Decorative acrylic texture designed to produce a classic vertical or swirl finish.	Coarse Scratch	6 - 10 m ² /pail
 BASEFLEX			A granular base levelling coat or medium-coarse granular texture.	Coarse	3 - 5 m ² /pail/coat

SEALERS AND TOPCOATS

PRODUCT	APPLICATION TOOLS	SUBSTRATE TYPE	FEATURE/BENEFIT	COVERAGE
 MASONRY SEALER	Roller Brush	Concrete, concrete blocks, clay bricks/blocks, AAC, plasterboard, fibre cement, villaboard, etc.	Preparatory sealer and aid to subsequent texture application in EZYZOAT systems.	100 - 120 m ² /pail/coat
 ULTRAFINE SEALER	Roller Brush	Fibre cement sheeting, pre rendered surfaces, AFS Logicwall, Ritek, EPS, Tilt-Up Concrete	Preparatory sealer and aid to subsequent texture application in EZYZOAT systems.	70 - 85 m ² /pail per coat
 CEILING TEXTURE INT/EXT	Texture Roller Mop Finish Brush	Plasterboard, concrete and fibre cement sheeting	A roll on stipple texture ideal for off-form concrete ceiling and soffits.	20 - 25 m ² /pail/coat
 MEMBRANE	MIN 24mm Long Nap Roller Brush	Fibre cement sheeting, pre rendered surfaces, AFS Logicwall, Ritek, EPS, Tilt-Up Concrete	A durable and flexible membrane coating designed to protect your EZYZOAT render & texture systems.	50 - 60 m ² /pail per coat 2 coats recommended

PATCHES

PRODUCT	APPLICATION TOOLS	SUBSTRATE TYPE	FEATURE/BENEFIT	SAND GRADE	BUILD THICKNESS PER COAT
 PATCH	Steel Trowel Sponge	Fibre cement sheeting, pre rendered surfaces, AFS Logicwall, Ritek, EPS, Tilt-Up Concrete	Acrylic basecoat designed to patch and prepare masonry surfaces in EZYZOAT systems.	Smooth	2mm
				Coarse	3mm

For further information visit activebuildingsystems.com.au
or call **1300 566 592**

EZYZOAT, ABN 67 000 049 427.

Exsultite is a registered trade mark of DuluxGroup (Australia) Pty Ltd. CodeMark is a registered trade mark of the Commonwealth of Australia.

AFS Logicwall is a registered trade mark of AFS Systems Pty Ltd. Ritek is a registered trade mark of Ritek Systems Pty Ltd.

EZYZOAT
RENDER • TEXTURE • PAINT