

EUROSTYLE GLOSS/MATT SEALER**DESCRIPTION AND COMPOSITION**

Eurostyle Gloss/Matt Sealer is a hard wearing durable clear coat system specifically designed to protect interior and exterior Eurostyle Finishes. It has a low viscosity that when applied allows it to create an even film over the surface it is applied to and protect.

Using the latest in, technology it has been possible to develop a Clear finish that has excellent adhesion, abrasive resistance and offers the ultimate in protection. The end result is a membrane coating that provides its user with a quality product, with ease of application. Eurostyle Gloss/Matt Sealer is available in a Gloss finish to bring out the shine and textures of the wall finish or a Matt Finish for very minimal light reflection producing more of a raw finish.

Unlike many external clear coat finishes that tend to leave roll marks and cut in lines, Eurostyle Gloss/Matt Sealer when applied to specification will not accentuate these properties; instead provide a seamless finish to the surface and allow the Eurostyle Finish to really exhibit its properties.

USE

Eurostyle Gloss/Matt Sealer is a specially designed decorative coating system for application over the range of Eurostyle Finishes. Its clear nature allows it provide protection against the elements to the underlying surface while also allow it to bring out the natural textures of the Eurostyle finishes and provide uniformity.

The final product will produce a protective membrane which exhibits excellent durability and high water and U.V. resistant. Its film forming ability and properties still enable Eurostyle Gloss/Matt Sealer to maintain excellent transpiration properties while still exhibiting water resistance to the external surface. Due to the nature of the Eurostyle Gloss/Matt Sealer and its ability to seal off the Eurostyle style finish from the elements, in doing so it also highlights the colour variations in the surface so as to create a depth that will result in a change in colour intensity. It is always recommended that a small test area be trialed on site in order to determine the final colour.

APPLICATION

Prior to application of Eurostyle Gloss/Matt Sealer to a surface it is essential that the surface be free of any contaminants that may affect the performance of the paint system. Table 1 provides application procedures when applying **Eurostyle Gloss/Matt Sealer** to Eurostyle finishes. It is essential that the trade contractor applying the product makes a suitable inspection of the intended applying surface prior to commencing works. If in doubt please contact our offices for further advice.

Eurostyle Gloss/Matt Sealer is ready to use, out of the pail and does not require the addition of any extra water. Eurostyle Gloss/Matt Sealer is applied by medium Nap Roller.

Table 1:- Eurostyle Gloss/Matt Sealer Application Specification Sequence.

Estimated Product Usage Sqm/Lit	Coating Sequence	Eurostyle Venetian Plaster Smooth Set
3 to5	1.	1 st Coat Eurostyle Gloss/Matt Sealer
5	2.	2 nd Coat Final Coat Eurostyle Gloss/Matt Sealer

- Note Gloss Finishes will tend to bring out more of the imperfections in the wall

CONSUMPTION & PROPERTIES:

Eurostyle Gloss/Matt Sealer

Product Coverage

(will vary for differing textured surfaces)

Approx. 0.30 Lit./ sqm. Per coat.

APPLICATION :-

Medium Nap Roller or Brush

BASE :-

Water

Drying Time :-

Between 8 to 12 Hours @ 25C @ 50% humidity

Colour :-

Clear Gloss/ Matt Finish

Classification :-

Non Dangerous/ Non Flammable

Safety :-

Refer to product SDS

Moisture Control :-

Excellent (Surface must not be exposed to hydrostatic pressures)

Physical Appearance: -

Clear Low viscosity

Abrasion Resistance: -

Excellent

Clean up:-

Water when wet

* Note

Do not apply in temperatures below 5 degrees Celsius or 24 hrs. prior to or after wet & rainy conditions. Do not apply in moist conditions. All walls must be free of moisture prior to application with a WME of no more than 15%. All surfaces should be cleaned and free of any contaminant, releasing agent, fungal growth which may affect the performance of these coatings. The durability of the product in its original confection is guaranteed for 8 months as long as it is not exposed to direct sunlight or temperatures below 6 degrees. Eurostyle Gloss/Matt Sealer is not suitable for use in areas prone to water logging, submersion, continually damp and/or below ground. Walls where Eurostyle Gloss/Matt Sealer is to be applied must be free draining. In the case of retaining walls the rear of the wall must be engineered to prevent any penetration of moisture or water through the wall in to the rear of the Eurostyle Venetian. Failure to do so will result in damage to the Eurostyle Gloss/Matt Sealer and is not covered by warranty. Excess Waste product should be disposed of in responsible manner following guidelines as set out by the local council's bi-laws and Waste Disposal Procedures.

Disclaimer

Due to the many different proprietary building systems available on the market, it is highly recommended that you contact our offices and request a copy of the Ezycoat specification for the building system you are using.

EZYBUILD SPECS are readily available upon request either from our company representatives or our offices.

For more detailed information with regards this product and any safety concerns, please refer to the Safety Data Sheets available from Active Building Systems Pty Ltd.

Eurostyle Gloss/Matt Sealer is to be applied by suitably licensed persons holding a license for this trade as recognised by the legislative building authority for the relevant state to which the work is being carried out and has undergone a training program in the use of these Eurostyle Finishes. Misuse of this product and/or noncompliance with technical specifications will void any warranties whether verbal or written. Active Building Systems Pty Ltd reserves the right to change, update and republish these specifications without any notice. It is the user's responsibility to attain the most current publication of Ezycoat Specifications from Active Building Systems Pty Ltd. Our goods come with guarantees that cannot be excluded under the Australian Consumer Laws.